


Force Sensors

10220

"S" TYPE FORCE SENSOR

This is a true multipurpose force sensor useful in tension and compression. This environmentally sealed S-beam force sensor is designed to provide all of the advantages of the beam structure for close tolerance measurement of low and medium forces. The model 10220 "S" type force sensor is also used in process plants for tank and hopper weighing, new flexure-based scales, and many "in-line" measurement applications.




SPECIFICATIONS

Capacities..... 25 - 20,000 lb. (See chart)
Overload capacity..... 150% of F.S.
Output at F.S..... 3.0 mV/V nominal
Non-linearity..... 0.05% of F.S.
Hysteresis..... 0.05% of F.S.
Zero balance..... 1.0% of F.S.
Compensated temperature..... 70 to 170°F
Useable temperature..... -65 to +250°F
Temperature effect on zero..... 0.002% of F.S./°F
Temperature effect on span.... 0.002% of Rdg./°F
Bridge resistance..... 350 Ohms
Excitation voltage, maximum..... 20 Vdc
Material..... Nickel plated alloy steel

DIMENSIONS

MODEL	CAPACITY LBS	H	W	D	T
					1/4 - 28 UNF-2B
10220-250	25	2.50	2.00	0.75	1/2 - 20 UNF-2B
10220-051	50				
10220-012	100				
10220-251	250				
10220-052	500				
10220-751	750				
10220-013	1000				
10220-152	1500				
10220-252	2500				
10220-033	3000				
10220-053	5000	4.00	3.00	1.25	3/4 - 16 UNF-2B
10220-014	10000				
10220-153	15000				
10220-024	20000				



ORDER TOLL FREE 1-888-SENSOR-1